

17631 N. 25th Avenue • Phoenix, AZ 85023 P (602) 324-6100 • F (602) 324-6101

4585 S. Palo Verde Rd., Ste. 423 • Tucson, AZ 85714 P (520) 327-1234 • F (520) 327-0518 www.legend-group.com

Mark LaCombe			Project	: New s	ource					
Escudilla Mountain DWID		Project	Number	: 10/31/	2023					
PO Box 926										Reported:
Springerville, AZ85938									11/2	28/23 15:27
Analyte										
Well (55-565311) (23J3890-01) Dr	inking Water (Gra	ıb) San	npled: 1	0/30/2	3 14:30	Receiv	ed: 10/31/2	23 11:33		
Analyte	Result	MCL	RL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	R	adiation	Safety E	Engine	ering #/	AZ0462				
7500-RA (combined)										
Combined Radium	<0.8		0.82	pCi/L	1	NA	11/03/23	11/03/23	7500-RA	
									(combined)	
EPA 600/00-02 (Gross)										
Gross Alpha Activity	0.5		0.40	pCi/L	1	NA	11/08/23	11/08/23	EPA 600/00-02	
									(Gross)	
Gamma Ray HPGE (226)	-0.40		0.40		4		44/00/00	44/00/00		
Radium 226 Activity	<0.49		0.49	pCI/L	1	NA	11/03/23	11/03/23	Gamma Ray HPGE (226)	
Gamma Rav HPGE (228)									()	
Radium 228 Activity	<0.82		0.82	pCi/L	1	NA	11/03/23	11/03/23	Gamma Ray	
,		_							HPGE (228)	
		Pace	Analytic	al Serv	vices, Ll	LC.				
EPA-5 1613B-Tetras										
Dioxin	<0.00000005	.00	0000005	mg/L	1	36416	11/03/23	11/07/23	EPA-5	
Surrogate: 13C-2.3.7.8-TCDD			78 %	31.0	-137.0	364	16 11/03	3/23 11/0	7/23 EP4-5	
									1613B-Tetra	IS
	Leç	gend Tec	hnical S	ervices	s of Ariz	zona, Inc.				
Microbiology										
E. coli	Absent			P/A	1	B3K0043	10/31/23	11/01/23	SM 9223B	
Total Coliforms	Present			P/A	1	B3K0043	10/31/23	11/01/23	SM 9223B	
Total Metals										
Antimony	<0.0005	0.006	0.0005	mg/L	1	B3K0148	11/03/23	11/03/23	EPA 200.8	
Arsenic	0.0015	0.0105	0.0010	mg/L	1	B3K0148	11/03/23	11/03/23	EPA 200.8	
Barium	0.12	2	0.010	mg/L	1	B3K0220	11/07/23	11/07/23	EPA 200.7	
Beryllium	<0.0020	0.004	0.0020	mg/L	1	B3K0220	11/07/23	11/07/23	EPA 200.7	
Cadmium	<0.0001	0.005	0.0001	mg/L	1	B3K0148	11/03/23	11/03/23	EPA 200.8	
Calcium	66		1.0	mg/L	1	B3K0220	11/07/23	11/10/23	EPA 200.7	
Chromium	<0.0050	0.1	0.0050	mg/L	1	B3K0220	11/07/23	11/07/23	EPA 200.7	
Copper	<0.010	1.3	0.010	mg/L	1	B3K0220	11/07/23	11/07/23	EPA 200.7	
Lead	<0.0010	0.015	0.0010	mg/L	1	B3K0148	11/03/23	11/03/23	EPA 200.8	
Magnesium	10		1.0	mg/L	1	B3K0220	11/07/23	11/07/23	EPA 200.7	
Mercury	<0.0002	0.0016	0.0002	mg/L	1	B3K0312	11/07/23	11/07/23	EPA 245.1	
Nickel	<0.020		0.020	mg/L	1	B3K0220	11/07/23	11/07/23	EPA 200.7	
Selenium	<0.0020	0.05	0.0020	mg/L	1	B3K0148	11/03/23	11/03/23	EPA 200.8	
Sodium	42		1.0	mg/L	1	B3K0220	11/07/23	11/07/23	EPA 200.7	
Thallium	<0.0005	0.002	0.0005	mg/L	1	B3K0148	11/03/23	11/03/23	EPA 200.8	
Calcium Hardness as CaCO3	160		2.5	mg/L	1	[CALC]	11/07/23	11/10/23	200.7	

Legend Technical Services of Arizona, Inc.

Mange Wellang

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reported:

11/28/23 15:27

Well (55-565311) (23J3890-01) Drinking Water (Grab) Sampled: 10/30/23 14:30 Received: 10/31/23 11:33

Analyte	Result	MCL	RL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Lege	end Tecl	nnical S	ervices	of Ariz	ona, Inc.				
Total Metals										
Magnesium Hardness as CaCO	43		4.1	mg/L	1	[CALC]	11/07/23	11/07/23	200.7	
Total Hardness as CaCO3	210		4.1	mg/L	1	[CALC]	11/07/23	11/10/23	200.7	
Inorganic Chemistry										
Total Alkalinity as CaCO3	278		10	mg/L	1	B3K0145	11/03/23	11/03/23	SM 2320 B	
Cyanide, Total	<0.010		0.010	mg/L	1	B3K0089	11/02/23	11/02/23	SM 4500 CN E	M2
Fluoride	<0.50	4	0.50	mg/L	1	B3J1092	10/31/23	10/31/23	EPA 300.0	
Nitrate as N	<0.25	10.5	0.25	mg/L	1	B3J1092	10/31/23	10/31/23	EPA 300.0	
Nitrite as N	<0.25	1	0.25	mg/L	1	B3J1092	10/31/23	10/31/23	EPA 300.0	
рН	7.7			pH Units	1	B3K0080	11/02/23	11/02/23	SM 4500H B	H5
Temperature	13.8			°C	1	B3K0080	11/02/23	11/02/23	pH Temperature	H5
Sulfate as SO4	9.08		0.50	mg/L	1	B3K0017	11/01/23	11/01/23	EPA 300.0	
Total Dissolved Solids	313	500	10	mg/L	1	B3K0093	11/02/23	11/02/23	SM 2540 C	
Volatile Organic Compounds										
1,1,1-Trichloroethane	<0.0005	0.2	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
1,1,2-Trichloroethane	<0.0005	0.005	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
1,1-Dichloroethene	<0.0005	0.007	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
1,2,4-Trichlorobenzene	<0.0005	0.07	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
1,2-Dichlorobenzene	<0.0005	0.6	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
1,2-Dichloroethane	<0.0005	0.005	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
1,2-Dichloropropane	<0.0005	0.005	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
1,4-Dichlorobenzene	<0.0005	0.075	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Benzene	<0.0005	0.005	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Bromodichloromethane	<0.0005		0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Bromoform	<0.0005		0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Carbon tetrachloride	<0.0005	0.005	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Chlorobenzene	<0.0005	0.1	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Chloroform	<0.0005		0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
cis-1,2-Dichloroethylene	<0.0005	0.07	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Dibromochloromethane	<0.0005		0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Dichloromethane	<0.0005	0.005	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Ethylbenzene	<0.0005	0.7	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
m,p-Xylene	<0.0005		0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
o-Xylene	<0.0005		0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Styrene	<0.0005	0.1	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Tetrachloroethene	<0.0005	0.005	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Toluene	<0.0005	1	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Total THMs	<0.0005	0.08	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
trans-1,2-Dichloroethene	<0.0005	0.1	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Trichloroethene	<0.0005	0.005	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Vinyl chloride	<0.0005	0.002	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Xylenes (total)	<0.0005	10	0.0005	mg/L	1	B3K0119	11/03/23	11/03/23	EPA 524.2	
Surrogate: 1,2-Dichlorobenzene-d4		1	106 %	70-	130	B3K0	0119 11/03	/23 11/03	3/23 EPA 524.2	
Surrogate: 1,2-Dichloroethane-d4			92 %	70-	130	B3K0	11/03	/23 11/03	B/23 EPA 524.2	
Surrogate: 4-Bromotiuorobenzene			85 %	70-	130	B3K0	11/03	/23 11/03	SV23 EPA 524.2	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Reported:

11/28/23 15:27

Well (55-565311) (23J3890-01) Drinking Water (Grab) Sampled: 10/30/23 14:30 Received: 10/31/23 11:33

Analyte	Result	MCL	RL	Units I	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Lege	end Tec	hnical S	ervices	of Ariz	ona, Inc.				
Volatile Organic Compounds										
Surrogate: Pentafluorobenzene			97 %	70-1	30	B3K0	119 11/03	/23 11/03	3/23 EPA 524.2	
Miscellaneous										
Langlier Index	0.201		-5.00	N/A	1	B3K0579	11/16/23	11/16/23	Miscellaneous	
Semi-Volatile Organic Compounds										
3-Hydroxycarbofuran	<0.0005		0.0005	mg/L	1	B3K0524	11/08/23	11/21/23	EPA 531.2	
Aldicarb	<0.0005		0.0005	mg/L	1	B3K0524	11/08/23	11/21/23	EPA 531.2	
Aldicarb sulfone	<0.0008		0.0008	mg/L	1	B3K0524	11/08/23	11/21/23	EPA 531.2	
Aldicarb sulfoxide	<0.0005		0.0005	mg/L	1	B3K0524	11/08/23	11/21/23	EPA 531.2	
Carbaryl	<0.0005		0.0005	mg/L	1	B3K0524	11/08/23	11/21/23	EPA 531.2	
Carbofuran	<0.0009	0.04	0.0009	mg/L	1	B3K0524	11/08/23	11/21/23	EPA 531.2	
Methomyl	<0.0005		0.0005	mg/L	1	B3K0524	11/08/23	11/21/23	EPA 531.2	
Oxamyl	<0.0020	0.2	0.0020	mg/L	1	B3K0524	11/08/23	11/21/23	EPA 531.2	
Surrogate: 4-Bromo-3,5-dimethylphenyl-N-meth	nylcarbamate	-	101 %	70-1	30	ВЗКО	524 11/08	/23 11/2	1/23 EPA 531.2	
Herbicides										
Glyphosate	<0.006	0.7	0.006	mg/L	1	B3K0317	11/08/23	11/16/23	EPA 547	
	Fib	erquant	Analytic	al Serv	ices #/	AZ0633				
EPA 100.1										
Asbestos	<0.2		0.2	MFL	1	N/A	10/31/23	11/13/23	EPA 100.1	
			EEA#	AZ0432	2					
EPA 505										
Chlordane (technical)	<0.00020		0.00020	mg/L	1	79092	11/07/23	11/08/23	EPA 505	
PCB-1016	<0.000080	C	0.000080	mg/L	1	79092	11/07/23	11/08/23	EPA 505	
PCB-1221	<0.00010		0.00010	mg/L	1	79092	11/07/23	11/08/23	EPA 505	
PCB-1232	<0.00010		0.00010	mg/L	1	79092	11/07/23	11/08/23	EPA 505	
PCB-1242	<0.00010		0.00010	mg/L	1	79092	11/07/23	11/08/23	EPA 505	
PCB-1248	<0.00010		0.00010	mg/L	1	79092	11/07/23	11/08/23	EPA 505	
PCB-1254	<0.00010		0.00010	mg/L	1	79092	11/07/23	11/08/23	EPA 505	
PCB-1260	<0.00010		0.00010	mg/L	1	79092	11/07/23	11/08/23	EPA 505	

Reported:

11/28/23 15:27

Well (55-565311) (23J3890-01) Drinking Water (Grab) Sampled: 10/30/23 14:30 Received: 10/31/23 11:33

Analyte	Result	MCL RL	Units D	ilution	Batch	Prepared	Analyzed	Method	Notes
		EEA#	#AZ0432						
EPA 515.3									
2,4,5-TP (Silvex)	<0.00020	0.00020	mg/L	1	79276	11/08/23	11/09/23	EPA 515.3	
2,4-D	<0.00010	0.00010	mg/L	1	79276	11/08/23	11/09/23	EPA 515.3	
Dalapon	<0.0010	0.0010	mg/L	1	79276	11/08/23	11/09/23	EPA 515.3	
Dicamba	<0.0010	0.0010	mg/L	1	79276	11/08/23	11/09/23	EPA 515.3	
Dinoseb	<0.00020	0.00020	mg/L	1	79276	11/08/23	11/09/23	EPA 515.3	
Pentachlorophenol	<0.000040	0.000040	mg/L	1	79276	11/08/23	11/09/23	EPA 515.3	
Picloram	<0.00010	0.00010	mg/L	1	79276	11/08/23	11/10/23	EPA 515.3	
Surrogate: 2,4-Dichlorophenylacetic acid		59 %	70-13	80	792	276 11/08	/23 11/0	9/23 EPA 515.	3 X
EPA 525.2									
Alachlor	<0.00020	0.00020	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Aldrin	<0.00010	0.00010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Atrazine	<0.00010	0.00010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Benzo[a]pyrene	<0.000020	0.000020	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Butachlor	<0.00010	0.00010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Di (2-ethylhexyl)phthalate	<0.00060	0.00060	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Di(2-ethylhexyl)adipate	<0.00060	0.00060	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Dieldrin	<0.00010	0.00010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Endrin	<0.000010	0.000010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
gamma-BHC (Lindane)	<0.000020	0.000020	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Heptachlor	<0.000040	0.000040	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Heptachlor epoxide	<0.000020	0.000020	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Hexachlorobenzene	<0.00010	0.00010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Hexachlorocyclopentadiene	<0.00010	0.00010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Methoxychlor	<0.00010	0.00010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Metolachlor	<0.00010	0.00010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Metribuzin	<0.00010	0.00010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Propachlor	<0.00010	0.00010	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Simazine	<0.000070	0.000070	mg/L	1	79451	11/09/23	11/10/23	EPA 525.2	
Surrogate: 2-Nitro-m-xylene		93 %	70-13	80	794	451 11/09	/23 11/1	0/23 EPA 525.2	2
Surrogate: Perylene-d12		95 %	70-13	80	794	451 11/09	/23 11/1	0/23 EPA 525.2	2
Surrogate: Triphenylphosphate		107 %	70-13	80	794	451 11/09	/23 11/1	0/23 EPA 525.2	2

Reported:

11/28/23 15:27

Well (55-565311) (23J3890-01) Drinking Water (Grab) Sampled: 10/30/23 14:30 Received: 10/31/23 11:33

Analyte	Result	MCL	RL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
			EEA#	AZ04	32					
EPA 548.1										
Endothall	<0.0090	(0.0090	mg/L	1	78991	11/06/23	11/14/23	EPA 548.1	
Surrogate: 2,4-Dichlorophenylacetic acid		108	8 %	70	-130	789	991 11/06	/23 11/1	4/23 EPA 548.1	
EPA 549.2										
Diquat	<0.00040	0.	00040	mg/L	1	78985	11/06/23	11/06/23	EPA 549.2	
EPA-DW2 504.1										
1,2-Dibromo-3-Chloropropane	<0.000021	0.0	00021	mg/L	1	78880	11/03/23	11/03/23	EPA-DW2 504.1	
1,2-Dibromoethane (EDB)	<0.000010	0.0	00010	mg/L	1	78880	11/03/23	11/03/23	EPA-DW2 504.1	
Well (55-565311) (23J3890-01RE01) I	Drinking Water	(Grab)	Sampl	ed: 10	/30/23 1	4:30 R	eceived: 1	0/31/23 11:	:33	
Analyte	Result	MCL	RL	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
			EEA#	AZ04	32					
EPA 515.3										

70-130

79276

11/08/23

11/10/23

EPA 515.3

х

53 %

Surrogate: 2,4-Dichlorophenylacetic acid

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Sample Condition Upon Receipt:

0.80 °C

Temperature: All samples were received in acceptable condition unless noted otherwise in the case narrative.

Case Narrative: For the Asbestos method, the EPA Method allows for analyses of water samples after the 48-hour hold time as long as they are pre-treated with ozone and UV light. Fiberquant utilized an Ozonator to pretreat this sample to extend the hold-time.

https://semspub.epa.gov/work/08/1772054.pdf Section 5.4

Client notified of total coliform result via email on 11/1/23 MW

This report contains data that were produced by a subcontracted laboratory certified for the fields of testing Holding Times. All holding times were met unless otherwise qualified.

Barloc Criteria: All analyses met method requirements unless otherwise qualified.

Certifications: AZ(PHX)0004, AZ(TUC)OOO4, AIHA#102982, CDC ELITE Member.

EurofinaiEatonAnalytical, InchAZ0432 ethods specified on each scope of accreditation held by LEGEND.

BenjanidanScott MCL= Maximum Contaminant Level is the maximum level of a particular contaminant recommended by the EPA. If your result is less than (<) this limit, the sample is within the acceptable limits allowed 574-233-4777 for drinking water. Please note that some MCLs, such as pH, Total Dissolved Solids, etc. are Pace Analytical AZ0012 hetic-based and not health based limits. For a full list of EPA guidelines, visit:

https://www.epa.gov/sites/production/files/2016-06/documents/npwdr complete table.pdf

JoAnn Richardson RL= Reporting Limit is the lowest level of that analyte that can be accurately detected by the 612.607.6407 methodology and instrumentation.

Please see additional documentation provided for further instructions on reading your analytical report.

Radiation Safety AZ9462 were no problems encountered during the processing of the samples, unless otherwise noted.

Pierre Pouquette All samples were analyzed on a "wet" basis unless designated as "dry weight".

480.0000 DE DOCUMENTS AND USE OF LEGEND REPORT:

All documents prepared by LEGEND as instruments of Services will remain the property of LEGEND. a.

Fiberty remote zod 33 other items furnished to Client or its agents, which are not paid for, will be returned upon demand and will the the the test of the second sec

Kathy less otherwise and a FGEND will retain all pertinent records concerning Services pursuant to its Record Retention Policy. Retained records will be available for review by Client during LEGEND's business hours and subject to a reasonable charge.

d. Except as may otherwise be provided in an attached Proposal or in any Amendment. Client's rights to any report issued by Method 515.3 PREC: Surrogate 2.4-Dichlorophenylacetic acid recovery (59%) for the following sample was LEGEND shall be limited to Client's use of the report in its entirety for Client's own purposes. Client may make copies of the outside the following sample was outside the theory of the report available to third parties, subject to this Agreement's disclaimer of any third-party beneficialies. Use of disclosure boldstime constraints efforestraction was end performed client's contract with LEGEND.

the sinterpretention miced others with the sulfus mation between beasted LEGEND or contained in any report.

The report and any related documents shall not be used for any marketing or advertising purposes without the express f. prior written consent and approval of LEGEND.

Reported: 11/28/23 15:27

Quality Control Notes

X Surrogate recovery exceeds control limits

M2 Matrix spike recovery was low; the associated blank spike recovery was acceptable.

H5 This test is specified to be performed in the field within 15 minutes of sampling; sample was received and analyzed past the regulatory holding time.

- E4 Concentration estimated. Analyte was detected below laboratory minimum reporting level (MRL) but above MDL.
- D2 Sample required dilution due to high concentration of target analyte.

<0.82 <0.82

- <0.8 <0.8
- <0.49 <0.49

<

<



CHAIN OF CUSTODY RECORD



□ 17631 N. 25th Avenue • Phoenix, AZ 85023 • (602) 324-6100 • Fax (602) 324-6101 □ 4585 S. Palo Verde Rd, Ste 423 • Tucson, AZ 85706 • (520) 327-1234 • Fax (520) 327-0518

Page _____ of ____

Pk Cl																							
Cuent Name	Address			Cit	ty				S	tate	Zip		Pł	none					Fax N	lumbe	er or Ei	mail Address	A LARGE
Eccudella Manaziona Divito	P.O.B	0x 926		Sp	NIN	Ger	Vill	e	A	2	859	38	60	2 5	01	55	591	1	na	rkl	lac	ombel	anound
Project Name	Project Nu	umber/PWS	Co	ontact	62	13	512	-70	200	P.(D. No.												
New Source			Ma	hrK	Lo	160	mb	2													•		4
SAMPLE TYPE CODES	Т	URN AROUND TIME								REQUESTED ANALYSES							101	-					
DW=Drinking S=Soil/Solid Water T=Travel Blank WW=Wastewater F=Food SW=Surface G=Sludge/Biosolids Water		site		e Type	ance	Containers	(Lab Use Only!)	*SI	stos	lide Ite Ai	ilier Indi	Coliforn	ate ann	i de	5 and Des	515,525	Dic. 548	UIXO -	SS AI	ium 20 a	2/9/2		
O=Other Client's Sample Identification Date	Time	Sample Location/POE/DWR	Compo	Grab	Sample	Compli	No. of	Ha /	Mete	CV2	Nitra	Lan	en s		Tota	505	531	549	524	05	Rad	LAB NO.	
Well 10/20/2	14:30	55 565311		X	DW		32	\checkmark	XX	X	X	x x	X	X	X	X	X	X	x 2	x 1	x	-01	
Travel Blank (Do Not Open)				X	DI		3												x			-02	1
													Τ										
		*2	+-										1										7
	<u> </u>		+							+	-		+	$\left - \right $		+	+	+	+	+	+		1
											\vdash					-+	-+-	+	+	+			-
<i>L</i> .																				-			-
			+							1													
				+						+	\vdash		+				-	-	+	-			1
· · · · · · · · · · · · · · · · · · ·											$\left \right $		+			-+			+	+			\dashv
																							-
TO ENSURE COMPLET	ON OF A	NALYSIS, SAMPLES MUST BE RE	CEI	VED	AT	LEA	ST3	Alle	UKS	TDO	<u>лч *</u>	**Toto		dnec		a M			11				-
Comments / Special Instructions: *Metals	= Sb, As, B	a, Be, Cd, Cr, Cu, Pb, Hg, Ni, Se, Na, 1	1 **L	angl	ier in	idex=	- ca,	AIKa	unity,	105,	pn		a i idi	anes			y A Th	0000	160		0800	-12noon	-
If sample source is chlorinated, different sample co	ntainers/pre	eservatives must be used for dechlorina	ition.	Ensi	ure s	amp	les ar	re ret	turned	to lat	o w/in	24 no	urs, p	Jacke		ice w	1.00		-100		0000	-12110011	-
SAMPLE CONDITION UPON RECEIPT (Lab Use		On behalf of the above-nan	ned (Clien	t, I a	icce	ot an	d ac	know	iedge	e rece	ipt of	Lege	ena s	Ger	ierd	DE	CEN		2V			-1
No. of Containers 35		RELINQUISHED BY 16/3/123 SAMPLES RECEIVED BY									10/12/1	72											
Temperature O. & °C		Sampler Signature Marthal Date +0/3023 Signature 7 2								1127	4												
Custody Seals Y N		Sampler Printed Name Mach	KI	ha	(0	m	he	5	Time 🗲	1:30	Prin	ted Name	9	1.	~	~	CL	oll	UZ	A		7199 7	-
Seals Intact Y N]	Sampler Signature	0	in	L		Colorise .		Date (1	33	Sigr	nature										Date	_
Preserved (Y) N		Sampler Printed Name				- 194 - P		ŀ	Time T ₁₀	13112	Prin	ted Nam	e									Time	_
WHITE-LAB YELLOW-CLIENT	- 3	Sampler Signature							Date		Signature Date												
		Sampler Printed Name		Time Printed Name					Time														

*548 preserved @ Lab 12:29 10/31/23 -TN 10/31/23

Legend Technical Services of Arizona, Inc.



23J3890

SENDING LABORATORY:

Legend Technical Services of Arizona, Inc. 17631 North 25th Avenue Phoenix, AZ 85023 Phone: 602-324-6100 Fax: 602-324-6101 Project Manager: Mary Whaley Eurofins Eaton Analytical, Inc. 110 S. Hill Street South Bend, IN 46617 Phone :(800) 332-4345 Fax: (574) 233-8207

ORY:

Analysis	Due		Expires	Sample Type circle one		Sample Comments	
Sample ID: 23J3890-01	Drinking W	Sampled	10/30/23 14:30	Grab Composite	N/A		
549.2- Diquat Subcontra	act 11/09/23	15:00	11/06/23 14:30				
548.1- Endothall Subcor	ntrac 11/09/23	15:00	11/06/23 14:30				
525.2- Pesticides Subco	ontra(11/09/23	15:00	11/13/23 14:30				
515.3- Chlor. Herbicides	/Acic11/09/23	15:00	11/13/23 14:30				
505- Pesticides & PCBs	Sub11/09/23	15:00	11/13/23 14:30				
504.1- EDB/DBCP Subc	ontra11/09/23	15:00	11/13/23 14:30				
Containers Supplied:							
07_1000mL Amber Glass pl	H <2 w/ SS & HC	CI (A)					
10_40mL Sodium Thiosulfat	e CLEAR Vial C	ool to 4° C (/	AA)				
07_1000mL Amber Glass pH	H <2 w/ SS & HC	CI (B)					
20_500mL Amber Plastic w/	S.T. & H2SO4 (K)					
11_125mL Amber Glass Bot	tle w/ Sodium Si	ulfite (O)					
11_125mL Amber Glass Bot	tle w/ Sodium Su	ulfite (P)					
40_40mL AMBER Glass Via	l; Sodium Thio;C	Cool to 4° C (U)				
40_40mL AMBER Glass Via	l; Sodium Thio;C	Cool to 4° C (V)				
10_40mL Sodium Thiosulfat	e CLEAR Vial C	ool to 4° C (\	N)				
10_40mL Sodium Thiosulfate	e CLEAR Vial C	ool to 4° C ()	()				
0_40mL Sodium Thiosulfat	e CLEAR Vial Co	ool to 4° C (()				
0_40mL Sodium Thiosulfate	e CLEAR Vial Co	ool to 4° C (Z	<u>Z</u>)				

Theodossios TZ Nicolaides X	16131/202	3 1630	FedEx	10/3/ /2023	1630
Released By (Print & Sign)	Date	Time	Received By (Print & Sign)	Date	Time
FedEx X					
Released By (Print & Sign)	Date	Time	Received By (Print & Sign)	Date	Time

Legend Technical Services of Arizona, Inc.





PO Number:23J3890 Sampled By:Mark LaCobe Compliance?: Yes No

				<u>FORY:</u>
SENDING LABORATORY Legend Technical Servic 17631 North 25th Avenu Phoenix, AZ 85023 Phone: 602-324-6100 Fax: 602-324-6101	i ces of Arizona ue	, Inc.	Fiberquant Analytica 5025 S. 33rd Street Phoenix, AZ 85040 Phone :(602) 276-6 Fax: (602) 276-455	al Services 139 8
Project Manager: Ma	ry Whaley		Sample Type	Sample Comments
Analysis	Due	Expires	circle one	Sample Commence
Sample ID: 23J3890-01	Drinking W	Sampled:10/30/23 14:30	Grab Composite	N/A
Asbestos	11/09/23 1	5:00 11/01/23 14:30		

Containers Supplied:

03_1000mL Plastic Cool to 4° C (H)

Review of Analysis Request (Initials)

OK to ozonate MW 10/31/23

10.31.23 12:57 Date Time Theodossios 10.31.2 Date Received By (Print & Sign) Nicolaides 103123 122 Date Time Released By (Print & Sign) 1031.23 13:20 Date Time Received By (Print & Sign) Released By (Print & Sign, Page 1 or Page 10 of 12

Legend Technical Services of Arizona, Inc



Fax: 602-324-6101



PO Number: 23J3890

TORY:

SENDING LABORATORY:	
Legend Technical Services of Arizona,	Inc.
17631 North 25th Avenue	
Phoenix, AZ 85023	
Phone: 602-324-6100	

Project Manager: Mary Whaley

Pace Analytical Services, LLC Minnesota 1700 Elm Street, Suite 200 Minneapolis, MN 55414 Phone :(612) 607-1700 Fax: (612) 607-6444

Analysis	Due		Expires	Sample Type circle one	Sample Comments
Sample ID: 23J389	0-01 Drinking W	Sampled	10/30/23 14:30	Grab Composite N	I/A
1613B Dioxin DW-	Subcontr:11/09/23 *	15:00	01/28/24 14:30		
Containers Supplie	d:				
02_1000mL Amber Gla	ass Cool to 4° C (I)				
02_1000mLAmber Gla	iss Cool to 4° C (J)			¥.	
		_			

Theodossios X	11/1/2 Date	5 1327 Time	Received By (Print & Sign)	11/1/13 Date	1328 Time
X Released By (Print & Sign)	Date	Time	Received By (Print & Sign)	Date	Time

Legend Technical Services of Arizona, Inc.





PO Number:23J3890 Sampled By:Mark LaCombe Compliance?: Yes No

PM: Mary Whaley

SENDING LABORATORY:

Legend Technical Services of Arizona, Inc. 17631 North 25th Avenue Phoenix, AZ 85023 Phone: 602-324-6100 Fax: 602-324-6101 Project Manager: Mary Whaley TORY:

Radiation Safety Engineering 3245 N. Washington Chandler, AZ 85225 Phone :(480) 897-9459 Fax: (480) 892-5446

Analysis	Due		Expires	Sample Type circle one		Sample Comments	
Sample ID: 23J3890-01	Drinking W	Sample	d:10/30/23 14:30	Grab Composite	N/A		
Radium 228	11/09/23 1	5:00	04/27/24 14:30				
Radium 226	11/09/23 1	5:00	04/27/24 14:30				
Gross Alpha, Measured	11/09/23 1	5:00	04/27/24 14:30				
Gross Alpha, Deviation	11/09/23 1	5:00	04/27/24 14:30				
Containers Supplied: 06_1000mL Plastic pH <2 w/	(HNO3 (C)						
06_1000mL Plastic pH <2 w/ HNO3 (D)							
06_1000mL Plastic pH <2 w/ HNO3 (E)							
06_1000mL Plastic pH <2 w/	HNO3 (F)						

Theodossios Nicolaides X	- 11/1/23/11:35	Harry	1/1/23	11:53
Released By (Print & Sign)	Date Time	Received By (Print & Sign)	Date	Time
Say 1 x	11/123 13:00	Tacos M Cravford	11/1/23	1:00,0m
Released By (Print & Sign)	/ Date Time	Received By (Print & Sign)	Date	Time (

Page 12 of 12